




USER MANUAL – EN

IN 3651 Elliptical Trainer inSPORTline Atlanta Black



CONTENTS

- SAFETY INSTRUCTIONS..... 3
- IMPORTANT NOTES 4
- EXPLODED DRAWING..... 5
- PARTS LIST 6
- CHECKLIST (CONTENTS OF PACKAGE)..... 9
- ASSEMBLY 10
- COMPUTER INSTRUCTIONS (B11072V00)..... 15
- EXERCISE INSTRUCTIONS 16
- TERMS AND CONDITIONS OF WARRANTY, WARRANTY CLAIMS..... 17


SAFETY INSTRUCTIONS

- To ensure the best safety of the exerciser, regularly check it on damages and worn parts.
- If you pass on this exerciser to another person or if you allow another person to use it, make sure that that person is familiar with the content and instructions in these instructions.
- Only one person should use the exerciser at a time.
- Before the first use and regularly make sure that all screws, bolts and other joints are properly tightened and firmly seated.
- Before you start your work-out, remove all sharp-edged objects around the exerciser.
- Only use the exercise for your work-out if it works flawlessly.
- Any broken, worn or defective part must immediately be replaced and/or the exerciser must no longer be used until it has been properly maintained and repaired.
- Parents and other supervisory persons should be aware of their responsibility, due to situations which may arise for which the exerciser has not been designed and which may occur due to children's natural play instinct and interest in experimenting.
- If you do allow children to use this exerciser, be sure to take into consideration and assess their mental and physical condition and development, and above all their temperament. Children should use the exerciser only under adult supervision and be instructed on the correct and proper use of the exerciser. The exerciser is not a toy.
- For your own safety, always ensure that there is at least 0.6 meter of free space in all directions around your product while you are exercising.
- To avoid possible accidents, do not allow children to approach the exerciser without supervision, since they may use it in a way for which it is not intended due to their natural play instinct and interest in experimenting.
- Please note that an improper and excessive work-out may be harmful to your health.
- Please note that levers and other adjustment mechanisms are not projecting into the area of movement during the work-out.
- When setting up the exerciser, please make sure that the exerciser is standing in a stable way and that any possible unevenness of the floor is evened out.
- Always wear appropriate clothing and shoes which are suitable for your work-out on the exerciser. The clothes must be designed in a way so that they will not get caught in any part of the exerciser during the work-out due to their form (for example, length). Be sure to wear appropriate shoes which are suitable for the work-out, firmly support the feet and which are provided with a non-slip sole.
- Be sure to consult a physician before you start any exercise program. He may give you proper hints and advice with respect to the individual intensity of stress for you as well as to your work-out and sensible eating habits.
- **Weight limit:** 150kg
- **Dimensions:** L137 x W54 x H150cm
- **Weight:** 51kg
- **WARNING!** The hart rate monitor may not be accurate. Overloading during training may cause serious injury or death. If you feel any discomfort, immediately stop the exercise!
- **Category:** HC (EN957 standard) suitable for home use

IMPORTANT NOTES

- Assemble the exerciser as per assembly instructions and be sure to only use the structural parts provided with the exerciser and designed for it. Prior to the assembly, make sure the contents of the delivery is complete by referring to the parts list of the assembly and operating instructions.
- Be sure to set up the exerciser in a dry and even place and always protect it from humidity. If you wish to protect the place particularly against pressure points, contamination, etc., it is recommended to put a suitable, non-slip mat under the exerciser.
- The general rule is that exercisers and training devices are no toys.
- Therefore, they must only be used by properly informed or instructed persons.
- Stop your work-out immediately in case of dizziness, nausea, chest pain or any other physical symptoms. In case of doubt, consult your physician immediately.
- Children, disabled and handicapped persons should use the exercise only under supervision and in presence of another person who may give support and useful instructions.
- Be sure that your body parts and those of other persons are never close to any moving parts of the exerciser during its use.
- When adjusting the adjustable parts, make sure they are adjusted properly and note the marked, maximum adjusting position, for example of the saddle support, respectively.
- Do not work out immediately after meals!

EXPLODED DRAWING




























PARTS LIST

No.	Description	Specification	Q'ty
1	Main frame		1
2	Stabilizer	D76x1.5Tx480L	1
3	Carriage bolt	M8x1.25x90L	4
4	Adjustable foot cap (D76)	D76*86	2
5L	Left transfer foot cap (D76)	D76*120L	1
5R	Right transfer foot cap (D76)	D76*120L	1
6	Curve washer	D22xD8.5x1.5T	12
7	Spring washer	D15.4*D8.2*2.0T	10
8	Domed nut	M8x1.25x15L	4
9	Allen bolt	M8x1.25x20L	4+4
10	Handlebar post		1
11	Pedal welding set		2
12L	Left swing support		1
12R	Right swing support		1
13	Front foot cover (out)	100x54x27	2
14	Front foot cover (inner)	100x54x24	2
15	Round end cap	D1"*17.5L	2
16	Allen bolt	M8x1.25x100L	2
17	Left upper foot cover	115x95x43	2
18	Nylon nut	M10*1.5*10T	3
19	Stabilizer	D76x1.5Tx480L	1
20	Carriage bolt	M6*1*45L	4
21L\R	Pedals	395x120x70	1
22	Cap for bolt	D30*17(M12)	2
23	Ladder bolt	M10*1.5*66L	2
24	Flat washer	D24*D13.5*2.5T	2
25	Round cross screw	ST4.2x1.4x20L	4
26	C ring	S-16 (1T)	2
27	X	X	X
28	X	X	X
29	Computer cable (upper)	1000L	1
30	Computer cable (lower)	1250L	1
31	Bushing	D29*D11.9*9T	4
32	Pedal bearing welding set		2
33	Crank welding set		2

34	Pulley	D310x19	1
35	Poly belt	1321 PJ6	1
36L	Left chain cover		1
36R	Right chain cover		1
37	Magnetic system	D260*132L	1
38	Right upper foot cover	115x95x43	2
39	Side cap	D36*14	2
40	Bolt	M8x1.25x20	4
41	Bolt cover	D35*8	2
42	Round cover		2
43	Bearing	#6004ZZ	2
44	Round cross screw	ST4x1.41x20L	8
45	Lock-nut	3/8"-26UNFx6.5T	2
46	Flat washer	D30*D10*4.1T	1
47	Flat washer	D50*D10*2T	1
48	Domed nut	M8*1.25*8T	2
49	Spacer ring	D10*D14*3T	1
50	Flat washer	D20*D11*2T	2
51	Plastic flat washer	D50*D10*1.0T	2
52	Swing support welding set		2
53	Foam	D30x7Tx550L	2
54	Foam	D23x7Tx530L	2
55	Mushroom cap	D1 1/4"*45 L	2
56	Spring	D4.0xD20x82L	1
57	Nylon nut	M6x1.0x6T	4
58	Bolt	M6x1.0x15L	4
59	Bolt cover	D28*17(M10)	2
60	Flat washer	D26*D21*1.5T	1
61	Crank welding set		1
62	Round magnet	S10042	1
63	Waved washer	D27*D21*0.3T	1
64	Computer	B-11072	1
65	Right cover	80x50x87	2
66	Left cover	80x50x87	2
67	C ring	S-16 (1T)	2
68	Waved washer	D21xD16x0.3T	2
69	Bearing	#99502ZZ	12
70	Idle fixed plate		1


71	Front pedal axle	D15.85x63.2L	2
72L	Left handlebar		1
72R	Right handlebar		1
73	Flat washer	D14xD6.5x0.8T	4
74	Idle wheel	D43*25L	1
75	Handle pulse		2
	Pulse cable	500L	2
76	Anti-loose nut	M10*1.25*10T	2
77L	Left front chain cover		1
77R	Right front chain cover		1
78	Upper cover		1
79	Flat washer	D23*D17*1.2T	4
80	Flat washer	D21*D8.5*1.5T	2
81	Upper universal cover	125*90*39	2
82	Lower universal cover	125*90*39	2
83	Round cross screw	ST4x1.41x15L	16
84	Front computer cover	380*150*50	1
85	Rear computer cover	340*150*50	1
86	Knob		4
87	Round cross screw	M5*0.8*10L	2
88	Inner tube	D71.5*100L	1
89	Tension cable (upper)	465L	1
90	Tension cable (lower)	500L	1
91	Flat washer	D25*D8.5*2T	4
92	Cross screw	M5x98x12L	1

CHECKLIST (CONTENTS OF PACKAGE)

 <p>1 x1</p>		 <p>10 x1</p>	
 <p>2 x1</p>	 <p>19 x1</p>	 <p>72L&R x1</p>	 <p>89 x1</p>
 <p>64 x1</p>	 <p>86 x4</p>	 <p>78 x1</p>	 <p>84&85 x1</p>
 <p>81&82 x2</p>	 <p>22&59 x2</p>	 <p>21L&R x1</p>	
 <p>3 M8*1.25*93L x4</p>	 <p>6 D22*D8.5*1.5T x16</p>	 <p>7 D15.4*D8.2*2T x14</p>	
 <p>9 M8*1.25*20L x8</p>	 <p>8 M8*1.25*15L x4</p>	 <p>20 M6*1*45L x4</p>	
 <p>16 M8*1.25*100L x2</p>	 <p>73 D14*D6.5*0.8T x4</p>	 <p>83 ST4*15L x6</p>	
 <p>87 x1</p>	 <p>87 M5*10L x2</p>	 <p>48 M8*1.25*8T x2</p>	


ASSEMBLY

STEP 1




- 1) Assemble the front stabilizer (2) and rear stabilizer (19) onto the main frame (1) by using the square neck bolts (3), the curved washers (6), the spring washers (7) and domed nuts (8).
- 2) Adjust the proper height by turning the wheel of rear foot caps (4).
- 3) Assemble the left and right pedal (21L&21R) on the pedal supporting tube (11) by using the screws (20), flat washers (73) and knobs (86).
- 4) There are 3 optional positions for the pedals on the pedal supporting tube (11) with three holes.

STEP 2




- 1) Suggest assembling this step by two persons.
- 2) First, insert the upper tension cable (89) into the hole of handlebar post (10), remove the preassembled screw and waved washer from tension cable, then use the spanner to tighten like fig. (a)
- 3) Lift up the cover for handlebar post (78) like fig. (b), then connect computer cable (29) with the cable of motor (30), and connect the end of the upper tension cable (89) and the lower tension cable (90) like fig. (c)
- 4) Insert the handlebar post (10) on the main frame and tighten it like fig. (d) by using the curved washers (6), the spring washers (7) and the Allen bolts (9). Then, place down the cover for handlebar post (78) and make it tight on the main frame.
- 5) Assemble the left and right movable handlebar (12L&12R) on the movable handlebar support (52) by using hardware like fig. (e).

STEP 3




Assemble the left and right fixed handlebar (72L & 72R) on the handlebar post (10) by using the Allen bolts (16), the curved washers (6), the spring washers (7) and the domed nuts (48).

STEP 4



- 1) Connect the computer cable (29) and cable of hand pulse sensor (75) with the computer (64), then fix the computer (64) on the handlebar post (10) by using the screws.
- 2) Put the bolt cover (22) and bolt cover (59) on the bolt.

STEP 5



- 1) Fix the upper and lower cover for universal joint (81&82) on the universal joint (32) by using the screws (83).
- 2) Fix the front and rear cover for handlebar post (84&85) on the handlebar post (10) by using the screws (83&87).

COMPUTER INSTRUCTIONS (B11072V00)

The things you should know before exercise

SLEEP MODE:

The monitor will entry SLEEP mode (LCD off) when there is no signal input and no key be pressed after 4 minutes.

FUNCTIONS AND FEATURES

1. SCAN: At the exercise mode, press the MODE key until appears the SCAN on the LCD. Monitor will display the following function and each function will keep 6 seconds on the main screen.

TIME-SPEED-DISTANCE-CALORIE-RPM-PULSE

2. TIME: Shows your elapsed workout time in minutes and seconds. Your computer will automatically count up from 0:00 to 99:59 in one second intervals. You may also program your computer to count down from a set value by using the SET key. If you continue exercising once the time has reached 0:00, the computer will begin beeping, and count up from 0:00.
3. SPEED: Displays your workout speed value in KM/MILE per hour from 0.0 to 99.9.
4. DISTANCE: Displays the accumulative distance traveled during each workout up to a maximum of 99.99KM/MILE.
5. CALORIES: Your computer will estimate the cumulative calories burned at any given time during your workout.
6. PULSE: Your computer displays your pulse rate in beats per minute during your workout. If no pulse signal input then the computer will display 0 on the window.
7. RPM: Your pedal cadence.

KEY FUNCTION

There are 3 button keys and the function description as follows:


1. SET key: During the STOP mode, press the key to increase the value of Time, Distance and Calories.
2. RESET key: During the STOP mode, press the key to clear the exercising value or setting value to zero.
3. MODE key:
 - a. Press the key can accept these setting values of TIME, DISTANCE and CALORIE.
 - b. During the STOP mode, by holding this key for over two seconds then the computer will re-power-on.
 - c. During the exercise mode, press the key can check the function from
SCAN-TIME-SPEED-DIST-CAL-RPM-PULSE for a circle.

ERROR MESSAGES

E: The speed over than 99.9 MPH/KPH then the computer will display "E".

HOW TO REPLACE THE BATTERIES

Please move out the battery cover from the bottom housing then replace the batteries. The instruction as below.




EXERCISE INSTRUCTIONS

Using your **ELLIPTICAL TRAINER** provides you with several benefits, it will improve your physical fitness, tone muscle and in conjunction with a calorie controlled diet help you lose weight.


THE WARM UP PHASE

This stage helps get the blood flowing around the body and the muscles working properly. It will also reduce the risk of cramp and muscle injury. It is advisable to do a few stretching exercises as shown below. Each stretch should be held for approximately 30 seconds, do not force or jerk your muscles into a stretch - if it hurts, STOP.



THE EXERCISE PHASE

This is the stage where you put the effort in. After regular use, the muscles in your legs will become stronger. Work to your own pace but it is very important to maintain a steady tempo throughout. The rate of work should be sufficient to raise your heart beat into the target zone shown on the graph below.



This stage should last for a minimum of 12 minutes for most people though most people start at about 15-20 minutes.

THE COOL DOWN PHASE

This stage is to let your cardio-vascular system and muscles wind down. This is a repeat of the warm up exercise e.g. reduce your tempo, continue for approximately 5 minutes. The stretching exercises should now be repeated, again remembering not to force or jerk your muscles into the stretch.

As you get fitter you may need to train longer and harder. It is advisable to train at least three times a week, and if possible space your workouts evenly throughout the week.

MUSCLE TONING

To tone muscle while on your ELLIPTICAL TRAINER you will need to have the resistance set quite high. This will put more strain on our leg muscles and may mean you cannot train for as long as you would like. If you are also trying to improve your fitness you need to alter your training program. You should train as normal during the warm up and cool down phases, but towards the end of the exercise phase you should increase resistance, making your legs work harder than normal. You will have to reduce your speed to keep your heart rate in the target zone.

WEIGHT LOSS

The important factor here is the amount of effort you put in. The harder and longer you work the more calories you will burn. Effectively this is the same as if you were training to improve your fitness, the difference is the goal.

TERMS AND CONDITIONS OF WARRANTY, WARRANTY CLAIMS

General Conditions of Warranty and Definition of Terms

All Warranty Conditions stated hereunder determine Warranty Coverage and Warranty Claim Procedure. Conditions of Warranty and Warranty Claims are governed by Act No. 40/1964 Coll. Civil Code, Act No. 513/1991 Coll., Commercial Code, and Act No. 634/1992 Coll., Consumer Protection Act, as amended, also in cases that are not specified by these Warranty rules.

The seller is SEVEN SPORT s.r.o. with its registered office in Borivojova Street 35/878, Prague 13000, Company Registration Number: 26847264, registered in the Trade Register at Regional Court in Prague, Section C, Insert No. 116888.

According to valid legal regulations it depends whether the Buyer is the End Customer or not.

“The Buyer who is the End Customer” or simply the “End Customer” is the legal entity that does not conclude and execute the Contract in order to run or promote his own trade or business activities.

“The Buyer who is not the End Customer” is a Businessman that buys Goods or uses services for the purpose of using the Goods or services for his own business activities. The Buyer conforms to the General Purchase Agreement and business conditions to the extent specified in the Commercial Code.

These Conditions of Warranty and Warranty Claims are an integral part of every Purchase Agreement made between the Seller and the Buyer. All Warranty Conditions are valid and binding, unless otherwise specified in the Purchase Agreement, in the Amendment to this Contract or in another written agreement.

Warranty Conditions

Warranty Period

The Seller provides the Buyer a 24 months Warranty for Goods Quality, unless otherwise specified in the Certificate of Warranty, Invoice, Bill of Delivery or other documents related to the Goods. The legal warranty period provided to the Consumer is not affected.

By the Warranty for Goods Quality, the Seller guarantees that the delivered Goods shall be, for a certain period of time, suitable for regular or contracted use, and that the Goods shall maintain its regular or contracted features.

The Warranty does not cover defects resulting from:

User's fault, i.e. product damage caused by unqualified repair work, improper assembly, insufficient insertion of seat post into frame, insufficient tightening of pedals and cranks

Improper maintenance

Mechanical damages

Regular use (e.g. wearing out of rubber and plastic parts, joints etc.)

Unavoidable event, natural disaster

Adjustments made by unqualified person

Improper maintenance, improper placement, damages caused by low or high temperature, water, inappropriate pressure, shocks, intentional changes in design or construction etc.

Warranty Claim Procedure

The Buyer is obliged to check the Goods delivered by the Seller immediately after taking the responsibility for the Goods and its damages, i.e. immediately after its delivery. The Buyer must check the Goods so that he discovers all the defects that can be discovered by such check.

When making a Warranty Claim the Buyer is obliged, on request of the Seller, to prove the purchase and validity of the claim by the Invoice or Bill of Delivery that includes the product's serial number, or eventually by the documents without the serial number. If the Buyer does not prove the validity of the Warranty Claim by these documents, the Seller has the right to reject the Warranty Claim.

If the Buyer gives notice of a defect that is not covered by the Warranty (e.g. in the case that the Warranty Conditions were not fulfilled or in the case of reporting the defect by mistake etc.), the Seller is eligible to require a compensation for all the costs arising from the repair. The cost shall be calculated according to the valid price list of services and transport costs.

If the Seller finds out (by testing) that the product is not damaged, the Warranty Claim is not accepted. The Seller reserves the right to claim a compensation for costs arising from the false Warranty Claim.

In case the Buyer makes a claim about the Goods that is legally covered by the Warranty provided by the Seller, the Seller shall fix the reported defects by means of repair or by the exchange of the damaged part or product for a new one. Based on the agreement of the Buyer, the Seller has the right to exchange the defected Goods for a fully compatible Goods of the same or better technical characteristics. The Seller is entitled to choose the form of the Warranty Claim Procedures described in this paragraph.

The Seller shall settle the Warranty Claim within 30 days after the delivery of the defective Goods, unless a longer period has been agreed upon. The day when the repaired or exchanged Goods is handed over to the Buyer is considered to be the day of the Warranty Claim settlement. When the Seller is not able to settle the Warranty Claim within the agreed period due to the specific nature of the Goods defect, he and the Buyer shall make an agreement about an alternative solution. In case such agreement is not made, the Seller is obliged to provide the Buyer with a financial compensation in the form of a refund.

**SEVEN SPORT s.r.o.**

Registered Office: Borivojova 35/878, 130 00 Praha 3, Czech Republic
Headquarters: Delnicka 957, 749 01 Vitkov, Czech Republic
Warranty & Service Centre: Cermenska 486, 749 01 Vitkov, Czech Republic
CRN: 26847264
VAT ID: CZ26847264
Phone: +420 556 300 970
E-mail: eshop@insportline.cz
reklamace@insportline.cz
servis@insportline.cz
Web: www.insportline.cz

SK**INSPORTLIN s.r.o.**

Headquarters, Warranty & Service centre: Elektricka 6471, 911 01 Trencin, Slovakia
CRN: 36311723
VAT ID: SK2020177082
Phone: +421(0)326 526 701
E-mail: objednavky@insportline.sk
reklamacie@insportline.sk
servis@insportline.sk
Web: www.insportline.sk

Date of Sale:

Stamp and Signature of Seller: